



GOVERNMENT OF KARNATAKA
OFFICE OF THE ASSISTANT EXECUTIVE ENGINEER
PUBLIC WORKS DEPARTMENT
No.1 SUB- DIVISION MANGALURU

ISO 9001:2015: Certified Organisation
ISO 14001-2004: Certified Organisation
Website: <http://www.kpwd.gov.in>

Phone / Fax No : 0824-2980964
Email : aepwdmng@kpwd.gov.in

No : PWD : SUB : DIV : MNG : TS : Stability Certificate : St. Mary's : 2023-24 / 623

Dated : 21/08/2023

To,

The Correspondent,
St. Mary's Central School,
Kinnigoli,
Mangaluru Taluk.

Sir,

Sub:- Issue of Building Safety Certificate for St. Mary's Central School - reg


- Ref:-
- 1) Your letter Dated 31.07.2023
 - 2) Government Circular No. PWD:59: BED: 2019 Dated: 10.11.2011 and 20.11.2021
 - 3) Government Circular No. PWD:59: BED: 2019 Dated: 10.11.2011 and 07.05.2022


With reference to the above subject, the Non Destructive Test report from St. Joseph Engineering College, Vamanjoor are received along with the request letter. The St. Mary's Central School, Kinnigoli, Mangaluru Dakshina Kannada District, the school building is inspected as per the Government Circular vide ref (2) and (3). The above said School Building is in possession of in Ground floor, First floor, Second floor, Third floor & Forth Floor and it is found structuarally stable for functioning of educational activities for the year 2023-24.

As per the Govt. Circular No.:e-office file No.:PWD 59 BED 2019, Dated:06.07.2020 to issue an Building Stability Certificate for Primary and Secondary School Boards, should complied all the requirements recommended as per National Building Code-2016, Part-4 Clause 3.1.3 of Fire and Life safety mandatorily.

As per the Govt. Circular Ref(3) the fee of Rs.5000.00 is received vide Challan No. CR823005900220897. It is hereby certified that the said building structurally stable for functioning of educational activities.

Yours faithfully


Assistant Executive Engineer
Public Works, Department
No.1 Sub - Division Mangaluru


The Principal
St Marys Central School
Kinnigoli - 574 150 D.K.

Correspondent / Manager
ST. MARY'S CENTRAL SCHOOL
KINNIGOLI, D.K.- 574 150